

10/22

188

190

USER SELECTED CONTENT	GENERALIZED CONTENT
Speciality Sites <u>AUTOMOTIVE</u> <u>BUSINESS EXCHANGE</u> Categories <u>ANTIQUES & ART</u> <u>BOOKS, MOVIES & MUSIC</u>	Specialty Sites <u>AUTOMOTIVE</u> <u>BUSINESS EXCHANGE</u> <u>GREAT COLLECTIONS</u> <u>HALF.COM (AN EBAY COMPANY)</u> Categories <u>ANTIQUES & ART</u> <u>BOOKS, MOVIES & MUSIC</u> <u>COINS & STAMPS</u> <u>COLLECTIBLES</u> <u>COMPUTERS</u> <u>DOLLS, FIGURES</u> <u>JEWELRY, GEMSTONES</u> <u>PHOTO & ELECTRONICS</u> <u>POTTERY & GLASS</u> <u>REAL ESTATE_{new!}</u> <u>SPORTS</u> <u>TOYS, BEAN BAG PLUSH</u> <u>EVERYTHING ELSE</u> <u>ALL CATEGORIES...</u>

FIG. 9C

FIG. 9C

11/22

```
<generalized displayname="Generalized 1">
  <include>
    <atomic xhtmlsourceid="131" displayname="Automotive ">
      <content>
        <contentitem id="1" sourceid="131" displayname="Content Item">
          <pathelement type="html" order="1"/>
          <pathelement type="body" order="1"/>
          <pathelement type="table" order="2"/>
          <pathelement type="tr" order="1"/>
          <pathelement type="td" order="1"/>
          <pathelement type="table" order="1"/>
          <pathelement type="tr" order="2"/>
          <pathelement type="td" order="2"/>
          <pathelement type="font" order="1"/>
          <pathelement type="b" order="1"/>
          <pathelement type="a" order="1"/>
        </contentitem>
      </content>
    <attributes>
      <class value="10,20,30"/>
      <align value="left"/>
      <name value="Automotive"/>
    </attributes>
  </atomic>
```

↓ A₂ ————— A₂ ↓

FIG. 10A₁

[illegible]FIG. 10A₂